

# Atos Unify OpenScape Desk Phone CP TDM telephone family

The OpenScape Desk Phone CP TDM family offers meticulously conceived, compact and easy-to-administer devices to fulfill the infinitely varied needs of a multitude of users.



OpenScape  
Desk Phone CP200T



OpenScape  
Desk Phone CP400T

## Intuitive, space-saving and convenient

The ergonomically designed, user-friendly and economical devices of the OpenScape Desk Phone CP TDM telephone family are equipped with a wide variety of functions. They can be easily and conveniently operated, without having to make any compromises in the crystal-clear audio quality or performance.

## Interoperability

The OpenScape Desk Phone CP TDM family provides for interoperability between the office telephone and other devices via USB which makes these telephones a high-performance communications center.

## Acoustics

OpenScape Desk Phone CP TDM works with the latest advances in the field of acoustics, and thus offers superb voice quality in the hand-held unit and hands-free mode.

All models are standard-equipped with a high-quality hands-free feature. In addition, all models offer a connection option for professional headsets.

# Phone models

The OpenScope Desk Phone CP TDM phone family comprises the following phone models:

- OpenScope Desk Phone CP200T
- OpenScope Desk Phone CP400T

## Product family

The OpenScope Desk Phone CP TDM phones give you fast and convenient access to the wide range of Unify communication platform features via the tried and tested UPO/E system interface with extended CorNet-TS protocol. New software versions for the phones can be updated via the corresponding management systems.

## OpenScope Desk Phone CP200T

Outstanding voice quality, an extensive scope of features and a two-line display make this device the ideal choice for users with CTI support.



### Display

- Graphical two-line display (192 x 48 pixels), monochrome
- Signaling LED (red/green/orange)

### Keys

- 4 freely-programmable function keys with a LED (green)  
Pre-assignment: call log, contacts, forwarding, redialing
- 5 fixed function keys, 3 with LED (red or green):  
hold, transfer, conference calling, settings, messages
- 4-way navigator plus OK key
- 3 audio function keys (mute/loudspeaker/headset) with LED
- Volume +/-
- Open listening/hands-free speaking (full duplex)

### Connection options

- Headset interface (DHSG/EHS)
- USB Slave interface (1st Party CTI)

### Placement

- Base, two different placement angles
- Wall-mounting

## OpenScope Desk Phone CP400T

The larger display and individual options for customization make this telephone the ideal solution for office workplaces and teams.



### Display

- Pivotal graphical display, 3.7" (240 x 120 pixels), monochrome
- LED backlighting (white)
- Signaling LED (red/green/orange)

### Keys

- 4 context-sensitive softkeys with LED (green)
- 2 fixed function keys (Service menu/forwarding)
- 16 freely-programmable function keys with LED (green)
- 4-way navigator plus OK key
- 3 audio function keys (mute/loudspeaker/headset) with LED
- Volume +/-
- Open listening/hands-free speaking (full duplex)

### Connection options

- Headset interface (DHSG/EHS)
- USB Slave interface (1st Party CTI)

### Placement

- Base, two different placement angles

## Accessory

### OpenScape Key Module 400

The OpenScape Key Module 400 can be connected to the Desk Phone CP400T.



The 16 freely-programmable keys with LED signaling can have various functions assigned as desired.

- 16 freely-programmable keys with LEDs (green)
- Key labeling using paper inlays
- Max. 2 key modules connectible to an OpenScape Desk Phone CP400T
- Only usable on OpenScape Desk Phone CP400T

## Communications platforms

The OpenScape Desk Phone CP TDM product family supports UPO/E system interface with extended CorNet-TS protocol.

The following communications platforms are supported:

- CP200T/CP400T: from OpenScape Business V2R7
- CP200T/CP400T: from OpenScape 4000 V8R2

## Technical data

	Desk Phone CP200T	Desk Phone CP400T
<b>Housing color</b>	black	
<b>Placement angle</b>	2-stage	
<b>Handset and base embossed with Unify logo</b>	Yes	
<b>Display</b>		
<b>Dimensions</b>	Graphical two-line display 192 x 48 pixels	Graphical display, 3.7" 240 x 120 pixels
<b>Color</b>	Monochrome	
<b>Backlighting</b>	No	White LED
<b>Adjustable display</b>	No	Yes
<b>Additional optical call alert</b>	Yes (red/green/orange)	
<b>Keys/LEDs</b>		
<b>Context-sensitive softkeys</b>	No	4 with LED (green)
<b>Fixed function keys</b>	5 3 with LED Hold, transfer, conference calling, settings, messages	2 (Service menu/forwarding)
<b>Free-programmable keys</b>	4 with LED (green) Pre-assignment: call log, contacts, forwarding, redialing	16 with LED (green)
<b>Key labeling</b>	Paper	
<b>Audio keys</b>	3 (Mute/loudspeaker/headset) with LED Volume +/-	
<b>Navigation</b>	4-way navigator, plus OK key	

	<b>Desk Phone CP200T</b>	<b>Desk Phone CP400T</b>
<b>Audio</b>		
<b>Open listening</b>	Yes	
<b>Full duplex handsfree</b>	Yes	
<b>Echo canceling for local echo (AEC) full duplex</b>	Yes	
<b>Interfaces</b>		
<b>Headset jack for cord-connected (121 TR9-5) and cordless headsets (121 TR9-5*)</b>	Yes	
<b>USB Slave (1st Party CTI)</b>	Yes	
<b>Line interface</b>		
<b>CorNet-TS protocol, software download via U<sub>P</sub>O/E</b>	Yes	
<b>Expansions</b>		
<b>Connection option for Key module</b>	No	Up to 2 KM400
<b>Wall mounting kit</b>	Yes	No
<b>Technical data</b>		
<b>Dimensions (angle (°) x height [mm] x width [mm] x depth [mm])</b>	20° x 113 x 219 x 207 45° x 173 x 219 x 165	20° x 143 x 283 x 207 45° x 189 x 283 x 165
<b>Weight [kg]</b>	0.84	1.13
<b>Storage conditions</b>	-40 °C to +70 °C (-40 °F to +158 °F)	
<b>Operating conditions</b>	+5 °C to +40 °C (+41 °F to +104 °F)	

Further information can be found at:

[http://wiki.unify.com/wiki/OpenScape\\_Desk\\_Phone\\_CP\\_T](http://wiki.unify.com/wiki/OpenScape_Desk_Phone_CP_T)